

21002-335 Softshell Jacket

two-toned - flame retardant

MASCOT® ACCELERATE MULTISAFE



S	M	L	XL	2XL	3XL	4XL
5XL						

Main material/upper material

26% modacrylic/25% polyester/23% polyurethane/21% cotton/4% aramid/1% carbon fibres

410 g/m²



- A high level of protection with anti-static, acid protection and flame retardant properties.
- Protects from electric arcs.
- Windproof and water-repellent.
- Fastening with zip and double storm flap.
- The quick release zip allows you to open the zip fastener quickly.
- Strap for gas alarm.

Technical info

Windproof and water-repellent. Two-toned. Fluorescent, with oblique transverse reflective strips. Anti-static, acid-protective and flame retardant. Protects from electric arcs and occasional welding arcs. High collar. Quick release zipper closure and double storm flap. Strap for gas alarm. Prepared for attachment of ID card. Chest pockets with zip. Front pockets with a zip. With print effects.


User



Three layer softshell. Shrinkage max. 3%. According to EN ISO 20471, this product is certified to retain its properties with 25 domestic washes. Impregnation is required after each wash to maintain EN 13034 protection.

Industrial care category B2

Certifications



- OEKO-TEX® STANDARD 100
- EN 1149-5 (tested according to EN 1149-3)
- EN ISO 11611 Class 2 (A1, A2)
- EN ISO 11612 (A1, A2, B1, C1, E2, F1)
- EN 13034 (Type 6)
- EN 13034, category J
- EN 61482-1-2 APC 2
- EN IEC 61482-1-1 (ELIM 25 cal/cm², ATPV 27 cal/cm²)
- EN ISO 20471 - class 2
- Hi-Vis Group A

Logo

Due to the unique properties of the fabric, logo printing is only available through the use of specific transfer types. As this is a safety product, we strongly recommend that MASCOT affix the logo to reduce the risk of errors. Please contact customer service for further information.

The product is certified with a maximum logo area of 0,3400m². This approved area must not be exceeded. Logos respectively on the front or back of the product, can only constitute a maximum of 50% of the total approved logo area in order to maintain the EN ISO 20471-certification. Note: The listed area is only a guide to how much space is available for

logo placement. In order to maintain the product's hi-vis class according to EN ISO 20471, the instructions on logo size must be observed.

Logo placement:

- Workwear logo. Special placement. Contact to discuss further